



HAL
open science

Structural context of the Bouillante area: Contribution of high resolution marine geophysical surveys (western shelf of Basse-Terre Island, Guadeloupe, French West Indies)

Isabelle Thinon, Pol Guennoc, Philippe Calcagno, Vincent Bouchot,
Catherine Truffert

► To cite this version:

Isabelle Thinon, Pol Guennoc, Philippe Calcagno, Vincent Bouchot, Catherine Truffert. Structural context of the Bouillante area: Contribution of high resolution marine geophysical surveys (western shelf of Basse-Terre Island, Guadeloupe, French West Indies). 19ème Conférence géologique de la Caraïbe (19th Caribbean Geological Conference), Mar 2011, Le Gosier, Guadeloupe, France. hal-00581332

HAL Id: hal-00581332

<https://brgm.hal.science/hal-00581332>

Submitted on 30 Mar 2011

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Structural context of the Bouillante area: Contribution of high resolution marine geophysical surveys (western shelf of Basse-Terre Island, Guadeloupe, French West Indies)

I. Thinon, P. Guennoc, Calcagno P., Bouchot V., Truffert C.
BRGM – 3 avenue Claude Guillemin – BP36009 – 45060 Orléans Cédex 2

Correspondant: ithinon@brgm.fr

In order to understand the structural context of the *Bouillante* geothermal field, ADEME and BRGM has carried out offshore studies on the western shelf of Basse-Terre Island. Detailed analysis of high-resolution seismic, bathymetric and magnetic data allowed determination of the origin of the submarine topography, distribution of the sedimentary units, morphology of the basement and offshore continuation of the tectonic structures identified onshore.

The present-day morphological features of the shelf are mainly related to the latest post-glacial deposits. Off the *Bouillante* bay, a thick sedimentary deposition has induced an important widening of the shelf, thus hiding the real morphology of the basement. The sedimentary cover has recorded two major erosions – low sea-level phases, the last one being correlated with the last 20 ky glacial maximum.

The main faults, offshore the geothermal field anomaly, have been mapped. The N160°W escarpment, which bounds the shelf, may be a major sinistral strike-slip system, playing the role of transfer zone between the N140 *Montserrat* and *Les Saintes* systems. The N140-trending faults and NE-SW faults were also observed on the shelf. The EW-trending *Bouillante*–*Capesterre* fault system, which belongs to the *Marie-Galante* graben system (e.g. Feuillet et al., 2002), extends into the *Bouillante* bay. This structure cuts the whole western shelf as well as the N160 and N140-trending faults, and controls the morphology of the basement. South of *Bouillante* Bay, a volcanic edifice of the *Bouillante* chain extends over the shelf in the axis of the andesitic submarine volcanoes. The 3D structural model (Calcagno et al., in this congress) allows to confirm the land-sea prolongation of the structures, and to specify the relationships between the fault sets.

This study confirms that the *Bouillante* area is a key sector of regional geodynamic interest in the Lesser Antilles Arc.

Feuillet N., Manighetti I., Tapponier P. and Jacques E. (2002), Arc parallel extension and localization of volcanic complexes in Guadeloupe, Lesser Antilles, *J. Geophys. Res.*, 107(B12), 2331.