



HAL
open science

Monitoring of volatile organic pollutants in groundwater by passive diffusive bags (PDBs)

Catherine Berho, Anne Togola, Benjamin Girardeau, Alain Saada, Jean
Philippe Ghestem

► **To cite this version:**

Catherine Berho, Anne Togola, Benjamin Girardeau, Alain Saada, Jean Philippe Ghestem. Monitoring of volatile organic pollutants in groundwater by passive diffusive bags (PDBs). 4th International Passive Sampling Workshop and Symposium (IPSW 2011), May 2011, Krakow, Poland. hal-00589915

HAL Id: hal-00589915

<https://brgm.hal.science/hal-00589915>

Submitted on 2 May 2011

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Monitoring of volatile organic pollutants in groundwater by passive diffusive bags (PDBs) Catherine Berho, Anne Togola, Benjamin Girardeau, Jean-Philippe Ghestem, Alain Saada

BRGM, 3, avenue Claude Guillemin, 45060 ORLEANS cedex 2, France,

E-mail contact: c.berho@brgm.fr

Abstract for a poster presentation

Key words : groundwater, passive diffusive bags, volatil organic compounds

Classical sampling devices used for groundwater monitoring such as low-flow peristaltic pumps can sample water slowly from wells to obtain representative samples but can also involve sorption of hydrophobic compounds to the tubing and losses of volatile compounds through volatilization. In this context, equilibrium passive sampling technology presents several advantages associated with a low perturbation of the sample, including simplicity, low cost, no power requirement.

The aim of this work is to present results obtained with PDBs (Passive Diffusion Bags) for the estimation of volatile organochlorine compounds and BTEX concentrations in groundwater. PDBs were deployed during 14 days in wells at three sites (a former water supply site and polluted sites) which present several ranges of concentrations. Results obtained by ITEX/GC/MS analysis were compared with those obtained from water samples taken at the same depth as PDBs with an interval discrete sampler or by pumping at a middle depth before and after well purging. First results demonstrated that VOC concentrations and BTEX concentrations obtained by PDBs are in accordance with those obtained on classical water samples. These results highlighted that PDBs allow the measurement of the BTEX and volatile organochlorine compounds concentrations at different depths easily, can point out the stratification of pollutants in a well and constitutes a powerful tool for the monitoring of VOC compounds for a large scale of concentrations from several $\mu\text{g/L}$ up to 4000 $\mu\text{g/L}$.