

## Multivariate statistic treatments of LA-ICP-MS chemical mapping

Philippe Lach, Julien Leger, Blandine Gourcerol

## ▶ To cite this version:

Philippe Lach, Julien Leger, Blandine Gourcerol. Multivariate statistic treatments of LA-ICP-MS chemical mapping. North American Workshop on Laser Ablation 2019, May 2019, Austin, United States. hal-02089830

## HAL Id: hal-02089830 https://brgm.hal.science/hal-02089830

Submitted on 4 Apr 2019

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

## Multivariate statistic treatments of LA-ICP-MS chemical mapping

LACH P1., LEGER J2., GOURCEROL B.,1

<sup>1</sup>BRGM, BP36009,45060 Orléans cedex 2, France. <sup>2</sup>CRPG, BP20,54500 Vandoeuvre-les-Nancy, France.

The last two decades, LA-ICP-MS emerges as a cost effective and time-efficient technique for quantitative elements distribution on wide range of geological material [1]. Those type of micro-scale mapping may also be considered as a big dataset (often>100ko) able to be statistically analysed and provide insight on numerous geological issue [2].

Although software for concentration maps building are more and more powerful (e.g. lolite 4), statistical treatment are generally done manually with Excel spreadsheets and are very time consuming.

In this context, BRGM has developed an exploratory and predictive multivariate statistical tool able to:

- open a multichannel concentration map from LA-ICP-MS or EPMA analysis and filtered the low (<LOD) or high (inclusion?) concentrations in different ways;
- implement different types of conventional statistical treatment like discriminants diagrams, error ellipse plotting, Agglomerative Hierarchical Clustering (AHC), Principal Component Analysis (PCA), Multidimensional Scaling (MDS) and Linear Discriminant Analysis (LDA)

The complete method has been tested and validated on an already treated dataset of sulphur LA-ICP-MS maps of Algoma-Type BIF gold system [3], the results are in perfect agreement with those obtained through manual Excel Spreadsheet treatment. This approach has also been performed on isolated quartz grains and quartz in thin section, and provide statistical evidences of different mineralising events [2].

In addition to the BRGM capacities to performed LA-ICP-MS mapping on different minerals, this rapid and efficient integrative tool for multivariate statistical treatment(s) leads to raise the level of prospective exploration of elemental coupling/decoupling on geological sample.

[1]Woodhead et al. (2007), Geostand. Goanalytical Res., 31, 331-343.

[2]Monnier et al. (2018), Lithos, 355-377

[3]Gourcerol et al. (2018), Miner. Depos., 53, 871-894.