

#### Research efforts across Europe to develop CCUS technology to mitigate climate change

Isabelle Czernichowski-Lauriol

#### ► To cite this version:

Isabelle Czernichowski-Lauriol. Research efforts across Europe to develop CCUS technology to mitigate climate change. Bergen CCUS Seminar 2019, Dec 2019, Bergen, Norway. hal-02362161

#### HAL Id: hal-02362161 https://brgm.hal.science/hal-02362161

Submitted on 20 Dec 2019

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés. Bergen CCUS Seminar, 'CCUS and the Net-Zero Society', Bergen, Norway, 3-4 December 2019

# EFFORTS ACROSS EUROPE TO DEVELOP CCUS TECHNOLOGY TO MITIGATE CLIMATE CHANGE

Dr. Isabelle Czernichowski-Lauriol, BRGM - French Geological Survey, Orléans, France Research and Public Policy Chief Officer CO<sub>2</sub>GeoNet President Emeritus ECCSEL French node Coordinator Email: i.czernichowski@brgm.fr





# BRGM in European research projects: since the very beginning...

- EUROPE	3 1994		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	
EU FP3	JOUL	.Е																												
EU FP4					SA	ACS																								
EU FP5	 							SACS	2																	ļ				
										CO	2STC	DRE														ļ				
	 							GES	бтсо													ļ	ļ	ļ	ļ		ļ			
	 						ļ	_	NAS									ļ				ļ	ļ	ļ	ļ					
	 								WЕУВ			1	II										ļ		ļ	ļ	ļ			
	 			-				CO	NET	CC	D₂NE				CO2	NET		·····					ļ							
	 		ļ			4	ļ			ļ			TOR					ļ				ļ	ļ	ļ	ļ	Ļ	ļ	ļ		
EU FP6	 						-	_		ļ		co	2Geo					ļ				ļ	ļ	ļ	ļ	ļ		ļ	ļ	
	 _						ļ							cos				ļ			ļ			ļ	ļ	ļ		ļ	ļ	
	 											InCa																		
	 											ļ	EL		Capac													ļ		
	 							_		ļ		ļ	_		CO <sub>2</sub> Re		2							ļ	ļ				*-	
	 		-												GRAS	,													OW*:	ion BF
	 		-					-						TN	TAS	1001													l lali	
	 											ļ			STRA	<u>CO2</u> ~			-											
	 																C	OME	i SCS											
	 						-	-											des Decai									-		
EU FP7	 		-					_										<u>.</u>	CSEL		2.2									
	 																	CC			AZ TEC	<u>-2*</u>								
	 																	CCS	5 Euro			<u> </u>								
	 	+	+	1		+	1	-	+			<u> </u>	+								<u> </u>	cs-pi					+	+		
			-										-								C(		CCSE							
EU H2020	 			-			+		+				+									c		_	INOS					
	 		-					-				1	-	1													:UR0			
	 		+				-						+												<	ST		GY CC		
	 		-					-				1	-	1														SELE		
EUROGIA+	1		1	1													coz	2Field	l.ab										8	nce for a sus
RFCS	-	1		1	-		1	1				1	1	-				RBOL							1				5	

# The Paris climate agreement






- Limiting global warming to well below 2° C with ambition to limit to 1.5° C (Article 2)
- ...achieve a <u>balance between anthropogenic emissions by sources and removals by sinks</u> of greenhouse gases in the second half of this century (Article 4)
- Communicate nationally determined contributions (NDC) every five years. Recognize and implement mitigation actions with respect to anthropogenic emissions and removals (Article 4)
- Strengthen cooperative action on technology development and transfer for the implementation of mitigation and adaptation actions (Article 10)
- Capacity-building should enhance the capacity and ability of developing countries to implement adaptation and mitigation actions, and should facilitate technology development, dissemination and deployment (Article 11)

## All this calls for stronger efforts in technology development, transfer and capacity-building



## EUROPEAN ENERGY UNION AND STRATEGIC ENERGY TECHNOLOGY PLAN (SET-PLAN)



- Implementation plans for each Key Action agreed in 2017:
  - Research & Innovation Activities
  - Flagship project
  - Monitoring mechanisms
  - Pathways to 2020, 2030 and beyond



# **SET-PLAN TARGETS FOR CCS AND CCU BY 2020**

- 1. At least 1 whole chain Power CCS operating project
- 2. At least 1 FEED on Industrial CCS project
- 3. Feasibility studies for CCS on industrial clusters completed by SET Plan countries (at least 5 clusters in different regions of the EU)
- 4. At least 1 active EU Project of Common Interest (PCI) for CO<sub>2</sub> transport infrastructure, for example related to storage in the North Sea
- 5. A European CO<sub>2</sub> geological storage atlas
- 6. At least 3 new CO<sub>2</sub> capture pilots, including bio-CCS
- 7. At least 3 new CO<sub>2</sub> storage pilots
- 8. At least 3 new CO<sub>2</sub> utilisation pilots
- 9. Setup of 1 Important Project of Common European Interest (IPCEI) for demonstration of different aspects of industrial CCU, possibly in the form of Industrial Symbiosis
- 10. Member States having identified, if applicable, the need to apply CCS to fossil fuel power plants and/or energy and carbon intensive industries in their integrated national energy and climate plans for after 2020, in order to make their energy systems compatible with the 2050 long-term emission targets



# EXTRACTS FROM FRANCE'S NATIONAL LOW-CARBON STRATEGY

## (DRAFT, DECEMBER 2018)

### **Revised National Low-Carbon Strategy to reach « carbon neutrality »**

- By 2050, a certain level of emissions seems incompressible, particularly in the non-energy sectors (agriculture in particular).
- These emissions must be offset by carbon sinks:
  - Optimized and sustainable land sink (forest and agricultural land)
  - CCS
- CCS technologies are conservatively mobilized in the baseline scenario:
  - By 2050, they would avoid about 6 MtCO<sub>2</sub>/year in industry and produce about ten MtCO<sub>2</sub> of negative emissions annually from biomass energy production facilities (BECCS).
- Guideline I 2: Initiate today the development and adoption of disruptive technologies to reduce and if possible eliminate residual emissions:
  - including « Support the development of pilot and possibly commercial units in carbon capture and storage (CCS) and carbon capture and use (CCU) with the use of CO<sub>2</sub> as a raw material in the manufacture of fuels or chemicals. »



## **Current remarkable research projects coordinated by France**

## European H2020 projects



- ENOS (coord. BRGM) to enable CO<sub>2</sub> storage onshore in Europe
- CHEERS (coord. IFPEN) to test, through a pilot in China, CO<sub>2</sub> capture by chemical looping
- 3D (coord. IFPEN) to demonstrate a demixing solvent for CO<sub>2</sub> capture at the ArcelorMittal steelworks site in Dunkirk
- STRATEGY CCUS (coord. BRGM) to elaborate strategic plans for CCUS development within promising start-up regions in Southern and Eastern Europe

## Regional projects (funded by Centre-Val de Loire region)

- GEOCO2 (coord. BRGM) Potential in the region of the CO<sub>2</sub>-Dissolved concept, combining CO<sub>2</sub> storage and geothermal heat production
- CO2SERRE (coord. BRGM) Use and storage of CO<sub>2</sub> from biomass processing for greenhouse cultivation



oscience for a sustainable Fart

# H2020 STRATEGY CCUS (2019-2022)

## **Objective**

To elaborate strategic plans for CCUS development in Southern and Eastern Europe at short term (up to 3 years), medium term (3-10 years) and long term (> 10 years):

- Local CCUS development plans
- Connection plans between local CCUS clusters, and with the North Sea CCUS infrastructure


## 8 promising start-up regions

- Presence of an industrial cluster
- Possibilities for CO<sub>2</sub> storage and/or utilization
- Potential for coupling with H<sub>2</sub> production and use
- Previous studies carried out
- And a political willingness!

Budget: 2.96 M€ (CSA)

Partners

#### <u>Contact</u> : Fernanda Veloso (coordinator) <u>f.veloso@brgm.fr</u>



FR: <u>BRGM</u>, IFPEN, TOTAL: ES: IGME, CIEMAT; GR: CERTH; HR: UNIZG-RGNF; PO: GIG; PT: UEVORA, FCT-NOVA, DGEG, CIMPOR; RO: SNSPA, GeoEcoMar; DE: Fraunhofer-ISI; NO: NORCE; UK: UEDIN








# H2020 STRATEGY CCUS (2019-2022)

# STRATEGY CCUS

### **Promising start-up regions studied**

- 1. Paris basin in France (including Le Havre CCS cluster targeted SET Plan Action 9, Dunkerque, Paris urban area and Orleans agricultural area)
- 2. Rhône valley in France (including the Fos-Berre/Marseille CCU cluster targeted by the SET Plan Action 9 (as a Flagship Project), and Lyon metropole)
- 3. Ebro basin in Spain (including Tarragona industrial area, North Castellón and North Teruel areas)
- Lusitanian basin in Portugal (including the CO<sub>2</sub> sources in the Leiria -Figueira da Foz axis, and extending to the Lisbon industrial region)
- 5. Northern Croatia (including Zagreb and the Croatian part of Pannonian basin)
- 6. Galati area in Romania (including Galati, a port town on the Danube river, and its surroundings)
- 7. West Macedonian area in Greece (including the Kozani and Ptolemaida industrial areas).
- 8. Upper Silesia in Poland (including the industrial areas of Katowice, Rybnik and Bedzi)

#### <u>Contact</u> : Fernanda Veloso (coordinator) <u>f.veloso@brgm.fr</u>





This project has received funding from the European Union's Horizon 2020 research and innovation programme under grant agreement No 837754



## H2020 STRATEGY CCUS - STRATEGIC PLANNING OF REGIONS AND TERRITORIES IN EUROPE FOR LOW-CARBON ENERGY AND INDUSTRY THROUGH CCUS



## Methodology

<u>Contact</u> : Fernanda Veloso (coordinator) <u>f.veloso@brgm.fr</u>

- Bottom-up approach: making first scenarios for CCUS clusters in sub-national regions in order to favour industrial symbiosis and circular economy, and then considering connection of clusters at national and transnational level
- Integration of experience of what is currently being done in CCUS clusters around the North Sea
- Technical potential assessed first, then the economical aspects, and finally the environmental and regulatory aspects
- Social acceptance and stakeholder needs & concerns also assessed for scenarios tailored to local context
- Common specific methodologies and approaches:
  - o estimating bankable storage capacities
  - o developing business models
  - carrying out impact assessment studies (LCA, TEA, MRIO)
  - o involving and engaging local and regional stakeholders
- CCUS development plans will be elaborated in close cooperation with stakeholders, through the <u>Regional Stakeholder Committees</u> and the <u>Industry Club</u>, to ensure plans can be implemented, i.e. socially acceptable.





# CO2SERRE - Use and storage of CO<sub>2</sub> from biomass processing for greenhouse cultivation Contact : Isaline Gravaud (coordinator) i.gravaud@brgm.fr

Objective: technical, economical and environmental feasibility study

Started in October 2019 for 3 years




CO<sub>2</sub> CAPTURE at a biomass energy plant and a sugar plant close to Orleans

Optimization of capture costs according to the CO<sub>2</sub> source and quality required for greenhouses



BRGM — FRENCH NATIONAL GEOLOGICAL SURVEY — WWW.BRGM.EU



### CO<sub>2</sub> GEOLOGICAL STORAGE

- Identification of where to permanently store the excess CO<sub>2</sub> nearby
- Investigation of reversible storage, in the event of a time lag between the production and consumption periods of CO<sub>2</sub> requiring buffer storage



Centre régional de promotion de la Culture Scientifique, Technique et Industrielle de la région Centre-Val de Loire www.centre-sciences.org





Centre-Val de Loire

www.regioncentre-valdeloi

CO<sub>2</sub> UTILISATION in greenhouses

Already a common practice as CO<sub>2</sub> stimulates plant growth and improves yields.


Currently, the  $CO_2$  used in greenhouses is:

- recovered from the combustion of natural gas (uncontrolled composition),
- or purchased from a supplier (pure CO<sub>2</sub>, but at a high price)

The objective is therefore to provide greenhouse growers with good quality  $CO_2$  at a competitive cost.



# GEOCO2 - Potential in the region of the $CO_2$ -Dissolved concept, combining $CO_2$ storage and geothermal heat production



through the injection well.

\* Patented by Partnering in Innovation, Inc. (USA)

http://co2-dissolved.brgm.fr/

<u>Contact</u> : Christophe Kervévan (coordinator) <u>c.kervevan@brgm.fr</u>

- Principle: Dissolution of CO<sub>2</sub> in brine, reinjected in a geothermal doublet, combined with heat recovery
- Advantages:
  - Storing CO<sub>2</sub> as being entirely dissolved, offers many advantages in terms of safety and, hopefully, social acceptance
     Economic and environmental benefits by combining CO<sub>2</sub>
    - geological storage with geothermal energy
- Constraints:
  - Only applicable in areas with deep geothermal potential
     Amount of CO<sub>2</sub> injected limited by its maximum solubility in brine
- Target: Small CO<sub>2</sub> emitters (<150 kt/y) located near a heat and/or cooling need (industrial processing or district network) and overlying deep geothermal potential
- CO<sub>2</sub> capture:
  - Compatible with any technology on the market
  - Preferential use of the 'Pi-CO<sub>2</sub>' patented system







# THE Pi-CO<sub>2</sub> CAPTURE TECHNOLOGY

(Partnering in Innovation, Inc, USA)

- More environment-friendly because **water** is the only solvent used. **No chemicals**.
- Uses the **high hydrostatic pressure** of a deep water column to increase CO<sub>2</sub> solubility
- Elegantly simple system: gas separation based on differential solubility at high pressure
- Unique design, high value in-process hazardous pollutant removal (SOx, NOx, Hg)
- Low risk no specialty materials, no moving parts subsurface, ease in testing & scaling

Lower cost of captured CO<sub>2</sub> per ton




eoscience for a sustainable Earth

#### **Prototype at BRGM's lab in Orléans**

Contact : Christophe Kervévan c.kervevan@brgm.fr



## **Development potential for CO<sub>2</sub> geological storage in France**



Ref: METSTOR project, 2007

Major CO<sub>2</sub> emitters and CO<sub>2</sub> storage potential in France

3 sedimentary basins offer storage capacities. Theoretical estimates are indicated for deep saline aquifers and hydrocarbon reservoirs.

Green dots indicate major CO<sub>2</sub> emissions in kt/a.

The Paris, Aquitaine and South-East sedimentary basins offer significant CO<sub>2</sub> storage potential.

France is investigating three complementary approaches:

- large storage offshore

   (e.g. North Sea (ca. 10 Mt/a) –
   CO<sub>2</sub> stored in supercritical phase
- medium storage onshore (ca. 1 Mt/a) – CO<sub>2</sub> stored in supercritical phase
- small decentralised storage combined with heat recovery (ca. 80-150 kt/a) - CO<sub>2</sub> stored in a dissolved form in water



# ECCSEL, the European CCS Research Infrastructure, available for access by worldwide scientists



**ECCSEL** ERIC




European Carbon Dioxide Capture and StoragE Laboratory Infrastructure

## **ECCSEL ERIC legal entity**

- Founded in 2017, seat in Norway (Trondheim)
- **5 member countries** Norway, France, Italy, Netherlands, UK
- 21 owners of research facilities
- **77 unique research facilities** (capture, transport, storage)

Website: www.eccsel.org

## **ECCSEL French node – facilities available for access in France**





European Strategy Forum on Research Infrastructures

## ECCSEL Workshop, 5-6 June 2019, Nancy, France 'Underground laboratories for CO<sub>2</sub> geological storage research'

- Objective: Encourage researchers to use URL-Andra unique research facility to address Mission Innovation's Prioritized Research Directions (PRDs)
- Programme:
  - Visit to the URL-Andra Underground Research Lab in Bure
  - Overview of current research at underground laboratories, either directly linked or that could inspire CO<sub>2</sub> storage research
  - Brainstorming/Break-out sessions: Ideas for experiments at URL-Andra




# Agence nationale pour la gestion des déchets radioact

## Presentations available at: www.eccsel.org

#### Bure

#### Andra's Underground Research Laboratory


- in situ experiments in a deep clay formation
- 500 m depth
- conditions representative of a caprock of a CO<sub>2</sub> storage site.





# Some extracts from the Mission Innovation CCUS report


- Improve understanding of induced fractures (hydraulic and thermal) and other near-well treatments to enhance injectivity using combined laboratory, theoretical, and field research including the use of underground laboratories (e.g., the US Sanford Underground Research Facility or the Swiss Mont Terri and Grimsel laboratories).
- In situ experiments and underground laboratory experiments on fault properties and their evolution under stress may allow the development of new fault-displacement tools and new faultproperty measurement tools. The collective advances in technology in this research field are needed to support gigatonne/year-scale CO<sub>2</sub> injection.





# **CO<sub>2</sub>GeoNet** European Netwok of Excellence on **CO<sub>2</sub>** Geological Storage





- An accredited UNFCCC Research NGO, participating in COP conferences
- Current membership: 30 research institutes from 21 countries
- Activities: 1) Joint research, 2) Scientific advice, 3) Training, 4) Information and communication

