

#### **API4INSPIRE**

Sylvain Grellet, Abdelfettah Feliachi

#### ▶ To cite this version:

Sylvain Grellet, Abdelfettah Feliachi. API4INSPIRE. INSPIRE CONFERENCE 2020, Jun 2020, Dubrovnik, Croatia. hal-03499570

#### HAL Id: hal-03499570 https://brgm.hal.science/hal-03499570v1

Submitted on 21 Dec 2021

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



# Welcome and some hints for participants

#### Mute your mic!

To mute and unmute, click the microphone icon next to your name or at the bottom of the screen.



#### Turn off video

Share your webcam video only when you are talking. To do this, click video icon next to your name.



#### Ask a question

Use "raise hand" functionality to ask a question. Click the hand icon next to your name in the participant list. If this is not available write 'hand' in the chat.







### **API4INSPIRE**

### Overview

- API4INSPIRE
  - Why APIs in INSPIRE?
  - Project details
- OGC API Features
  - GeoServer Extension
  - OGC API Simple
- OGC SensorThings API
  - FROST
- Data Nests
  - Airy Austria
  - Urban Data Platform Hamburg
  - Franco-Germanic Flow
  - o Covid-19
- Use!

## Why APIs in INSPIRE?

- State-of-play
  - Most of the services in the INSPIRE geoportal are based on W\*S/OWS services
  - Huge interest in APIs within the INSPIRE community
  - Few known implementations of APIs in INSPIRE
    - different approaches
      - encodings, documentation, standards
    - costs and benefits not very well known
- European agenda
  - European Strategy for Data
    - Sector-specific data spaces
    - Connecting different actors
  - Open Data Directive
    - High-Value Datasets (harmonised, documented and available through APIs)
  - INSPIRE MIWP 2020 2024
    - Standard-based APIs are one of the means for modernising INSPIRE's technological stack

## Why APIs in INSPIRE?

#### APIs provide an excellent opportunity for INSPIRE

1)Increase the use of the infrastructure

- INSPIRE → mainstream ICT
- Improve the discoverability through search
  - DWBP and SDWBP
    - DWBP Best Practice 23: Make data available through an API
    - SDWBP Best Practice 12: Expose spatial data through 'convenience APIs'

#### 2)Leverage on grassroots standardisation

- Novel approaches at the OGC (OGC API-Features and SensorThingsAPI)
  - Hackathons
  - Multiple early implementations
  - Co-creation of specifications

### **API4INSPIRE**

- Implemented under the ISA<sup>2</sup> ELISE Action
  - o European Location Interoperability Solutions for e-Government
- Based on demand
  - Requested by MS at the ISA<sup>2</sup> working group on geospatial solutions
- Novel approach
  - Providers on board
  - Learning from hands-on experiences
- Tasks
  - Evaluation Methodology
    - Benefits & Efforts
  - Deployment Strategies for
    - OGC API Features
    - OGC SensorThings API
  - Deployment and API endpoints
  - Guidelines / technologies, lessons learned
  - Provide evidence for INSPIRE Good Practices with these APIs



## API4INSPIRE - Objectives of the workshop

In line with our project objectives of promoting the (future) use of APIs in INSPIRE via good practices, this workshop will:

- Explain and demonstrate OGC API Features and SensorThings API
- Provide information on endpoints made available by this project
- Collect feedback on strengths and weaknesses of the API approach identified by:
  - Data providers
  - Users
- Identify MS willing to participate in establishing the INSPIRE Good Practices

## API4INSPIRE - Project Partners

- Fraunhofer IOSB: developers of FROST server, experts on SensorThings API
- DataCove e.U.: INSPIRE expertise
- GeoSolutions: developers of GeoServer, experts on OGC API







## API4INSPIRE - Data Providers









- Austrian Meteorological Agency (ZAMG) [AT]
- Austro Control (ACG) [AT]
- Austrian Environment Agency (UBA) [AT]
- European Environment Agency (EEA) [EU]
- City of Hamburg (CH) [DE]
- French Geological Survey (BRGM) [FR]
- Office for Biodiversity (OFB) + "INSIDE" environmental information systems research center (BRGM+OFB) [FR]
- Environment Agency Baden-Württemberg (LUBW) [DE]









### OGC APIs

OGC is defining a new set of services to replace the currently used OWS, that date back 20 years.
 These new services are collectively identified as OGC APIs.
 They are Web APIs, sometimes referred to as RESTful services.
 Each service is described by an OpenAPI document.


- Each of them is geared towards JSON based representations of resources:
  - Both other encodings are supported, <u>e.g. HTML</u>.
- Each service has a minimal core, and <u>numerous optional extensions to add</u> <u>functionality</u>.

### OGC API - Common

- Can be found at: <a href="https://github.com/opengeospatial/oapi\_common">https://github.com/opengeospatial/oapi\_common</a>
- Resources:
  - / (landing page)
  - /conformance (conformance classes implemented)
  - /api (API definition)
  - /collections (list of collections published)
  - /collection/{collectionId} (metadata of the single collection
- Encodings:
  - HTML, which is browsable!
  - JSON/GeoJSON

## Links, links everywhere!

All resources are linked to the others, in the various encodings:



## Very little is mandatory (and that's good!)

- None of the encodings are mandatory, a server could do XML or protocol buffers and still be compliant.
- If present, the usage of OpenAPI is suggested but not mandatory!
- A client could work by following links between resources, <u>that's the way of</u>
   <u>the modern Web!</u>
- How does a client work then? By checking the conformance declaration at "/conformance":

```
"conformsTo": [
    "http://www.opengis.net/spec/ogcapi-features-1/1.0/conf/core",
    "http://www.opengis.net/spec/ogcapi-features-1/1.0/conf/oas30",
    "http://www.opengis.net/spec/ogcapi-features-1/1.0/conf/html",
    "http://www.opengis.net/spec/ogcapi-features-1/1.0/conf/geojson"
]
```

### OGC API - Features

- Can be found at: <a href="https://github.com/opengeospatial/ogcapi-features">https://github.com/opengeospatial/ogcapi-features</a>
- In addition to OGC API (OAPI) core:
  - o /collection/{collectionId}/items (features)
  - o /collection/{collectionId}/items/{itemId}
- Only supported CRS are:
  - CRS84 (WGS84 lon/lat)
  - CRS84h (WGS84 lon/lat/height)
- No mandated schema, features can be anything:
  - Simple (SF-0)
  - Complex (SF-1, SF-2e)

Extensions! Some are already in the making:

cql cql
crs
transactions
README.md

#### OGC API - Features



#### GeoServer Feature Collections

This document lists all the collections available in the Features service. This document is also available as application/x-yaml, application/json.

#### eposb:Borehole

- Title: Borehole
- Geographic extents:
- 41.325, -5.15, 51.118, 9.624.
- Data as HTML. Collection items are also available in the following formats: --Please choose an option--

· Queryables as HTML.


#### gsmlp:BoreholeView


- Title: BoreholeView
- · Geographic extents:
  - -64.656, -21.388, 139.535, 87.933.

```
• Data as HTML. Collection items are also available in the following formats: --Please choose an option--


    Ouervables as HTML.
```

```
type: "FeatureCollection",
* features: [
         type: "Feature",
        id: "0001000001",
       ' geometry: {
             type: "Point",
           coordinates:
       ' properties: {
            "@featureType": "Borehole",
           ' identifier: {
                value: "BSS000AAAA",
                "@codeSpace": http://www.ietf.org/rfc/rfc2616
          ' type: {
                "@href": http://vocabulary.odm2.org/samplingfeaturetype/borehole/,
                "@title": "borehole"
           * sampledFeature: [
                    "@href": https://sweet.jpl.nasa.gov/2.3/realmEarthReference.owl#EarthLithosphere,
                   "@title": "Lithosphere"
          * shape: {
                "@dataType": "shape",
              * Point: {
                    type: "Point",
                  coordinates:
           * custodian:
                "@dataType": "Custodian",
              ' custodian: {
                   "@dataType": "CI ResponsibleParty",
                   organisationName: "BRGM",
                  ' role: {
                       "@codeListValue": "custodian",
                       "@codeList": http://www.isotc211.org/2005/resources/Codelist/qmxCodelists.xml
```





One mapping between the data and a target schema



Why not use templating instead of mappings?



What You See Is What You Get!

```
geometry": {
       "@type": "Point",
       "wkt":
"$${strConcat('<http://www.opengis.net/def/crs/OGC/1.3/CRS84>',toWKT(xpath('eposb:bholeHe
adworks/gwml-wellconstruction:BoreCollar/gwml-wellconstruction:collarLocation')))}
     "sam:sampledFeature": {
       "@id": "https://sweet.jpl.nasa.gov/2.3/realmEarthReference.owl#EarthLithosphere",
       "name": "Lithosphere"
"eposb:lifeCvcleInfo": {
        "$source": "eposb:lifeCycleInfo/eposb:LifeCycleInfo",
       "@type": "LifeCycleInfo",
        "eposb:updateDate": {
         "@type": "time:Instant",
         "time:inXSDDateTime": "${eposb:updateDate/gml:TimeInstant/gml:timePosition}"
        "status": {
         "@id": "${eposb:status/@xlink:href}",
         "name": "Validé"
        "eposb:creationDate": {
         "@tvpe": "time:Instant",
         "time:inXSDDateTime": "${eposb:creationDate/gml:TimeInstant/gml:timePosition}"
     "eposb:locatedOnAdminUnit": {
       "@id": "${eposb:locatedOnAdminUnit/@xlink:href}",
       "name": "SANGATTE"
```

```
    "@type": "Point",
        wkt: "<a href="http://www.opengis.net/def/crs/OGC/1.3/CRS84>POINT">http://www.opengis.net/def/crs/OGC/1.3/CRS84>POINT</a> (1.35559927237556 51.1020179771059)"
},


* "sam:sampledFeature": {
    "@id": https://sweet.jpl.nasa.gov/2.3/realmEarthReference.owl#EarthLithosphere,
        name: "Lithosphere"
},
```

## Filtering using CQL is supported:

http://.../geoserver/ogc/features/coll ections/eposb:Borehole/items?f=ap plication/ld+json&limit=50&filter=<u>fea</u> tures.gsmlp:boreholeLength\_m.o m:amount>83&filter-lang=cql-text

```
"eposb:lifeCycleInfo": {
    "@type": "LifeCycleInfo",
    "eposb:updateDate": {
        "@type": "time:Instant",
        "time:inXSDDateTime": "2008/12/357 05:41:34"
    },
    * status: {
        "@id": http://id.eaufrance.fr/nsa/390#XXX,
        name: "Validé"
    },
    * "eposb:creationDate": {
        "@type": "time:Instant",
        "time:inXSDDateTime": "1998/03/70 11:55:17"
    }
},


* "eposb:locatedOnAdminUnit": {
        "@id": "6262774",
        name: "SANGATTE"
},
```



## OGC API - Simple


- Who are we?
- Order:
  - implement the OGC API for simple features
  - according to the OGC API Core specification from October 2019
- Tasks:
  - REST API
  - JSON + GeoJSON
  - o Admin Panel

## OGC API - Simple





## OGC API - Simple


















## OGC SensorThings API


#### The successor to SOS

- REST + JSON + Full Editing
- Sensible Data Model
  - Extendible properties
- Powerful Queries
  - Across the entire data model
  - Composable response data
- Scalable
  - Thousands of stations
  - Millions of observations
- Understandable
  - Follow the links to all data



## OGC STA - GETting data 1

- Index document describing the server and its extensions https://server.de/FROST-Server/v1.1
- The list of "Things" (or Sensors, Locations, Observations, etc...)
   v1.1/Things
- A single Thing
   v1.1/Things(42)
- The list of Datastreams for Thing 42
   v1.1/Things(42)/Datastreams
- The Thing for Datastream 123
   v1.1/Datastreams(123)/Thing



## OGC STA - GETting data 2

- On every list:
  - Pagination with \$top and \$skip

```
v1.1/Things?$top=100&$skip=200
```

- Selecting which fields to return with \$select
  - v1.1/Things?\$select=id,name
- Filtering the entities with \$filter

```
v1.1/Observations?$filter=result gt 5
```

Requesting the total number (given the filter)

```
v1.1/Things?$count=true
```

Adding related entities with \$expand

```
v1.1/Things?$expand=Datastreams($expand=Observations)
```

- Can be nested & combined with the other options
- More on <a href="https://datacoveeu.github.io/API4INSPIRE/">https://datacoveeu.github.io/API4INSPIRE/</a>

## OGC STA - Editing data

- Create: POST on an Entity Set POST v1.1/Things
- Update: PATCH or PUT on an Entity PATCH v1.1/Things(42)
- Delete: DELETE on an Entity DELETE v1.1/Things(42)
  - Also deletes dependent entities
    - Things → Datastreams
    - Datastreams → Observations
    - Things → HistoricalLocations

### FROST-Server

#### A complete, feature-rich implementation

- Version 1.0 & 1.1
- Extensive querying capabilities
- Extensions for CSV & GeoJSON output
- Open Source (LGPL)
   <a href="https://github.com/FraunhoferIOSB/FROST-Server">https://github.com/FraunhoferIOSB/FROST-Server</a>
- Java / Tomcat & Docker
- Horizontal scalability



### FROST-Server Database



- FROST-Managed
  - Best when no database exists yet
  - FROST creates and maintains the database
  - All updates through the SensorThings API
- Using Database Views
  - existing PostgreSQL database with data
  - database views to mimic the FROST tables
  - updates directly in the database

### FROST-Server Demo Servers



- Free-For-All Demo server (Read & Write)
   <a href="https://ogctest.docker01.ilt-dmz.iosb.fraunhofer.de/v1.1/">https://ogctest.docker01.ilt-dmz.iosb.fraunhofer.de/v1.1/</a>
- European Air Quality Data
  - https://airquality-frost.docker01.ilt-dmz.iosb.fraunhofer.de/v1.1
    - 4382 Stations
    - 17960 Datastreams
    - 260 million Observations
    - Viewer: <a href="https://api4inspire.docker01.ilt-dmz.iosb.fraunhofer.de/servlet/is/113/">https://api4inspire.docker01.ilt-dmz.iosb.fraunhofer.de/servlet/is/113/</a>
- European Demography Data
  - http://service.datacove.eu/DemographyThings/v1.1
    - Total population and population density
    - NUTS levels 0 to 3

### Data Nests

Sets of colocated and complementary data sources exposed by the APIs under evaluation:

- Airy Austria: Air Transport information complemented by meteorological data
- Urban Data Platform Hamburg: Smart City Sensors together with road transport networks
- Franco-Germanic Flow: Cross-border water data, surface and ground water, quality and quantity, flood zones
- **Covid ad-hoc:** Realtime air quality, Covid-19 case data complemented by a background demography layer

## Airy Austria

Air Transport information complemented by meteorological data. This nest consists of the following data providers and end points:

Austro Control is the air navigation services provider that controls
 Austrian airspace
 austro

WFS2: <a href="https://sdigeo-free.austrocontrol.at/geoserver/tn-a/wfs?service=WFS&version=2.0.0&request=GetCapabilities">https://sdigeo-free.austrocontrol.at/geoserver/tn-a/wfs?service=WFS&version=2.0.0&request=GetCapabilities</a>
OGC API: <a href="https://inspire.austrocontrol.at/ogcapi/ogc/features">https://inspire.austrocontrol.at/ogcapi/ogc/features</a>

 Austrian Meteorological Agency (ZAMG) has a wide range of expertise at its disposal pertaining to all aspects of meteorological data management and provision



## Urban Data Platform Hamburg



The **City of Hamburg** has long seen the potential of Smart City technology, and been involved in diverse Smart City initiatives, successively extending their smart sensor infrastructure to an ever widening usage area.

Endpoint: <a href="https://iot.hamburg.de/v1.0">https://iot.hamburg.de/v1.0</a>

- Charging stations for electric cars
- Bike sharing stations from StadtRad
- Data from the Energy Campus of the Hamburg University of Applied Sciences

Future plans: A Lot!

Traffic lights, traffic density, etc...

### Franco-Germanic Flow

- The French Geological Survey (**BRGM**) has long been involved in pushing the envelope pertaining to the possibilities of environmental data provision.
- Along with the French Office for Biodiversity (OFB) and their joint research center on information system (INSIDE), they provide access to (linked) datasets from various French Information Systems on Water, Underground Risk using





INTEROPÉRABILITÉ DES SYSTÈMES D'INFORMATION SUR L'ENVIRONNEMENT

 The Environment Agency Baden-Württemberg – LUBW provides diverse water resources within Germany.


STA: https://lubw-frost.docker01.ilt-dmz.iosb.fraunhofer.de/v1.1






### Franco-Germanic Flow




















#### Ad-Hoc Flows

#### **AirThings**

- Data from Umweltbundesamt (AT) and EEA (EU)
- https://airquality-frost.docker01.ilt-dmz.iosb.fraunhofer.de/v1.1
- https://api4inspire.docker01.ilt-dmz.iosb.fraunhofer.de/servlet/is/113/

#### CovidThings

<a href="http://covidsta.hft-stuttgart.de/server/">http://covidsta.hft-stuttgart.de/server/</a>

#### DemographyThings

- Data from Eurostat DB
- http://service.datacove.eu/DemographyThings/v1.1

## USE!

https://github.com/DataCoveEU/API4INSPIRE

### **Thanks**

#### In order of appearance

- Alexander Kotsev JRC Alexander.KOTSEV@ec.europa.eu
- Kathi Schleidt DataCove e.U. Kathi@DataCove.eu
- Sylvain Grellet BRGM S.Grellet@brgm.fr
- Nuno Oliveira GeoSolutions nuno.oliveira@geo-solutions.it
- Lukas Gäbler School lukas.gaebler@gmail.com
- Hylke van der Schaaf Fraunhofer IOSB hylke.vanderschaaf@iosb.fraunhofer.de
- Marco Minghini JRC Marco.MINGHINI@ec.europa.eu

### Conclusions?

We do not provide conclusions!

Further discussion: <a href="https://inspire.ec.europa.eu/forum/groups/profile/215867">https://inspire.ec.europa.eu/forum/groups/profile/215867</a>

Further Info: <a href="https://datacoveeu.github.io/API4INSPIRE/">https://datacoveeu.github.io/API4INSPIRE/</a>

Further Events: TBD

- OGC API GeoServer
- STA FROST
- OGC API Simple?
- Usage of APIs