

Open access to geological information and 3D modelling data sets in the European Plate Observing System platform (EPOS)

Marc Urvois, Sylvain Grellet, Abdelfettah Feliachi, Rainer Haener, Henning Lorenz, Christian Brogaard Pedersen, Martin Hansen, Luca Guerrieri, Carlo Cipolloni, Mary Carter

▶ To cite this version:

Marc Urvois, Sylvain Grellet, Abdelfettah Feliachi, Rainer Haener, Henning Lorenz, et al.. Open access to geological information and 3D modelling data sets in the European Plate Observing System platform (EPOS). EGU General Assembly 2020, May 2020, Online, France. hal-03499969

HAL Id: hal-03499969 https://brgm.hal.science/hal-03499969

Submitted on 21 Dec 2021

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Open access to geological information and 3D modelling data sets in the European Plate Observing System platform (EPOS)

<u>Marc Urvois</u>, Sylvain Grellet, Abdelfettah Feliachi (BRGM - French Geological Survey); Rainer Haener (GFZ - German Research Centre for Geosciences, Germany); Henning Lorenz (Uppsala University, Sweden); Christian Brogaard Pedersen, Martin Hansen (GEUS - Geological Survey of Denmark and Greenland); Luca Guerrieri, Carlo Cipolloni (Institute for Environmental Protection and Research, Italy); Mary Carter (GSI - Geological Survey Ireland)

Chat time: Monday, 4 May 2020, 08:30-10:15

EUROPEAN PLATE OBSERVING SYSTEM www.epos-ip.org | info@epos-ip.org | epos@inqv.it

S PROJECT HAS RECEIVED FUNDING FROM THE EUROPEAN UNION'S HORIZON 2020 RESEARCH AND INNOVALION PROGRAMME UNDER GHANT AGREEMENT IN 678564 Imme the content of this presentation reflects only the author's wew and the Commission is not responsible for any use that may be made of the information it contains



Geological Information and Modelling (GIM) in EPOS

- EPOS: multi-disciplinary European Research Infrastructure for Solid Earth science
- Integrates a series of 10 domain-specific Thematic Core Services
- Discovery and access to Data, Data products, Software and Services
- GIM: 5 groups of services in operational conditions
 - Boreholes -
 - Borehole Data Index
 - Borehole Data Index Discovery Service ۲
 - Borehole Data Index View Service
 - Geologic Map
 - Geological Map 1:1,000,000 GeologicalFeature Index
 - GeologicalFeature Index Discovery Service

3D/4D Models

- 3D/4D Model Index Discovery Service
- 3D/4D Model Index •
- 3D/4D Model Index View Service
- Mineral Resources
 - Georesources (Mine Discovery) Service and Mine View Service
- Data & Service cataloguing
 - TCS15 Catalogue service •





AROBATOR





https://ics-c.epos-ip.org/

ROPEAN UNION'S HOREON 2020 RESEARCH ARE INNOVATION PROGRAMME UNDER GRANT AGREEMENT N



How to disseminate Geological Simple and Complex Features?

- Even though interoperability implementation frameworks are well described and used (ISO, OGC, IUGS/CGI, INSPIRE ...), it proved to be difficult for several data providers to deploy in the first place the required OGC services supporting the full semantic definition (OGC Complex Feature) to discover and view millions of geological entities
- Instead, data are collected and exposed using a simpler yet standardised description (GeoSciML Lite & EarthResourceML Lite). Subsequently, the more complex data flows are deployed with the corresponding semantics
- This approach was applied to design and implement the European Borehole Index and associated web services (View-WMS and Discovery-WFS) and extended to 3D Models
- TCS GIM exposes to the EPOS Central Integrated Core Services infrastructure a metadata catalogue service, a series of "index services", a codeList registry and a Linked Data resolver

Discovery service architecture and semantics



 $(\mathbf{\hat{r}})$



EPOS GIM Borehole Model

- Semantic reconciliation of several pre-existing 'Borehole' models
- Pushed to the OGC Borehole Interoperability Experiment <u>https://github.com/opengeospatial/boreholeie/wiki</u>





EUROPEAN PLATE OBSERVING SYSTEM www.epos-ip.org | info@epos-ip.org | epos@ingv.it



EPOS GIM European Borehole Index



A Borehole Index entry is:

- a 'Borehole vCard'
- a summary information + HTTP URIs towards richer information flows

- <wfs:FeatureCollection numberMatched="unknown" numberReturned="1" timeStamp="2017-09-05T07:42:27.003Z" xsi:schemaLocation="http://www.opengis.net/gml/3.2.http://schemas.opengis.net/gml/3.2.http://www.opengis.net/gml/3.2.http://schemas.opengis.net/gml/3.2.http://www.opengis.net/gml/3.2.http://schemas.opengis.opengis.net/gml/3.2.http://schemas.opengis.net/gml/3.2. http://schemas.opengis.net/wfs/2.0/wfs.xsd https://forge.brgm.ft/svnrepository/epos/trunk/schemas https://forge.brgm.ft/svnrepository/epos/trunk/schemas/epos-lite.xsd"> WE - <wfs:member> - <gsmlp:BoreholeView gml:id="BSS001REWW"> <gml:description>Borehole description</gml:description> URI to each Borehole Index entry http://ressource.brgm-rec.fr/data/BoreholeView/BSS001REWW <gml:name>Forage BSS001REWW</gml:name <gsmlp:identifier> http://ressource.brgm-rec.fr/data/Borehole/BSS001REWW URI to codeList entries (INSPIRE, TCS gsmlp:purpose xlink:href="http://inspire.ec.europa.eu/codelist/BoreholePurposeValue/hydrogeologicalSurvey" xlink:title="levé hydrogéologique, gestion de l'eau"/2 gsmlp:status xlink:href="http://resource.europe-geology.eu/vocabs/BoreholeStatus/drillingCompleted" xlink:title="drilling completed"/> arce.europe-geology.eu/vocabs/DrillingMethod/hydraulic_rotary_drilling" xlink:title="hydraulic rotary drilling"/> gsmlp:drillingMethod xlink:href="http://res Geological Information and Modelling) <gsmlp:driller>INTRAFOR-COFOR</gsmlp:driller> <gsmlp:drillEndDate>1974-11-30Z</gsmlp:drillEndDate> <gsmlp:startPoint xlink:href="http://resource.europe-geology.eu/vocabs/BoreholeStartPoint/naturalLandSurface" xlink:title="natural land surface"> <gsmlp:inclinationType xlink:href="http://resource.europe-geology.eu/vocabs/BoreholeInclinationType/vertical" xlink:title="vertical"/> $<\!\!gsmlp:boreholeMaterialCustodian\!>\!\!unknown<\!\!/gsmlp:boreholeMaterialCustodian\!>$ <gsmlp:boreholeLength_m uom="http://qudt.org/vocab/unit/M">23.0</gsmlp:boreholeLength_m> <gsmlp:elevation_m uom="http://qudt.org/vocab/unit/M">223.87</gsmlp:elevation_m> <gsmlp:elevation_srs>http://www.opengis.net/def/crs/EPSG/0/5720</gsmlp:elevation_srs> -<gsmlp:source> http://ficheinfoterre.brgm.fr/InfoterreFiche/ficheBss.action?id=06512X0037/STREMY </gsmlp:source> <gsmlp:metadata_uri> http://www.geocatalogue.fr/Detail.do?fileIdentifier=BR BSS BAA </gsmlp:metadata uri> <gsmlp:genericSymbolizer>Not provided</gsmlp:genericSymbolizer> + <gsmlp:shape></gsmlp:shape> <gsmlp:cored>false</gsmlp:cored> <gsmlp:accessToPhysicalDrillCore>false</gsmlp:accessToPhysicalDrillCore> <gsmlp:boreholeUse xlink:href="http://inspire.ec.europa.eu/codelist/BoreholePurposeValue/groundwaterLevelMonitoring" xlink:title="surveillance du niveau de la nappe phréatique"/A <gsmlp:detailedDescription xlink:href="http://www.opengis.net/def/nil/OGC/0/template" xlink:title="template "/> URI to a richer steath to sea with the most selongicalDescription xlink:href="http://ressource.brgm-rec.fr/obs/RawGeologicLogs/BSS001REWW" xlink:title="Borehole BSS001REWW geologic log available."/> spmlp:groundWaterLevel xlink:href="http://resource.brgm-rec.fr/data/Piezometre/06512X0037/STREMY.2" xlink:title="Description of Piezometer attached to BSS001REWW. Provides link to SensorObservationService offering">SensorObservationService offering information resource gsmlp;groundWaterChemistry xlink;href="http://www.o ns.net/det/nsl/0640/0/neknown" xlink:title= <gsmlp:rockGeochemistry xlink:href="http://www.opengis.net/def/nil/OGC/0/unknown" xlink:title="unknown"/> <gsmlp:poreGasChemistry xlink:href="http://www.opengis.net/def/nil/OGC/0/inapplicable" xlink:title="inapplicable"/ <gsmlp:geoTechnicalInfo xlink:href="http://www.opengis.net/def/nil/OGC/0/unknown" xlink:title="unknown"/> </gsmlp:BoreholeView> </wfs:member> </wfs:FeatureCollection EUROPEAN PLATE OBSERVING SYSTEM www.epos-ip.org | info@epos-ip.org | epos@inqv.it

THS PROJECT HAS BECEIVED FUNDING FROM THE EUROPEAN UNDERS HORLOW 2020 RESEARCH AND INNOVATION PROGRAMME UNDER GRANT AGREEMENT IN 578564 Discamen the content of this presentation reflects only the author's werk and the Commission B net responsible for any use that may be indeed the information it contains



Sharing European geological data with the Linked Data approach

- Each instance is associated with a HTTP URI and points to other information resources also using HTTP URIs
- The Linked Data principles ensure the best semantic description (e.g. HTTP URIs to shared codeList registries entries) and also enrich an initial "information seed" (e.g. a set of Borehole entries matching a search) with more contents (e.g. HTTP URIs to more Features or a more complex description)
- As a result, this pattern including Simple Feature and Linked Data has a positive effect on the IT architecture: interoperable services are simpler and faster to deploy and there is no need to harvest a full OGC Complex Feature dataset
- This architecture is also more scalable and sustainable



Vocabulary registry

- Domain controlled geoscience vocabularies through the European Geoscience Registry <u>https://data.geoscience.earth/ncl/</u>
- Each register and register entity has its URI
- Accessible to humans <u>and</u> machines
- Part of the INSPIRE Register Federation



European Geoscience Registry Check URI Registers	Admin Sparql Abou	t (Search	1.		Not logged
https://data.geoscience.earth/ncl / DnilingMethod / _coreDniling					
Entity: core drilling		4	plain: with metadata;	tti jasta tti jasta	milj jaon-tid milj jaon-tid
URI: https://data.geoscience.earth/ncl/DnllingMethod/coreDnlling	mental	sv	plain:	av	
Type: Concept			with metadata:	av	_
no description supplied		Apon	an	cdrada	
Properties Metadata History			About the It	em	Î
definition A core of sediment, soil, or rock is derived by an unspecified core drilling met	hod.	accepte	d on 23 Jan 201	9 11 20 30	0.856
narrower vibrocore XCB direct push diamond core		submitte	d on 23 Jan 201	9 11:20:10	0.666
notation 4		submitte	d by Abdel FELL	ACHI	
pref label core dnlling					
source This vocabulary					
top concept of drilling method					
type Concept					
/data.geoscience.earth/ncl / DnillingMethod					
//data geoscience.earth/ncl / DrillingMethod gister: Borehole Drilling thod eme specifies concepts used to describe methods used to drill a borehole, as defined (GS Commission for Geoscience Information (CGI) Geoscience Terminology Working	imental	CSV Export	with m	plain: netadata: plain: netadata: all:	tti i rdf/xmil jsoi tti i rdf/xmi i jso csv csv nquads
//data.geoscience.earth/ncl / DrillingMethod gister: Borehole Drilling thod eme specifies concepts used to describe methods used to dril a borehole, as defined (SG Commission for Geoscience Information (CGI) Geoscience Terminology Working y extension, it includes al concepts in this conceptScheme, as well as concepts in rious versions of the scheme.	imental	CSV Export	with m with m	plain: netadata: plain: netadata: all:	tti i rdf/xmli jso tti i rdf/xmli jso csv csv nquads
///data.geoscience.earth/ncl / DrillingMethod gister: Borehole Drilling ethods ethods ethods bistories fcS Commission for Geoscience Information (CGI) Geoscience Terminology Working by extension, it includes al concepts in this conceptScheme, as well as concepts in rious versions of the scheme. Vacuum Link Table Dependent Vacuum Link Table Dependent	imental	CSV Export	with m with m About th owned by 1	plain: netadata: plain: netadata: all: ne Reg	tti i rdf/xmli jao tti i rdf/xmli jao csv csv nquads jister
Wata geoscience.earth/ncl / DrillingMethod gister: Borehole Drilling eme specifies concepts used to describe methods used to dril a borehole, as defined (S Commission for Geoscience Information (CGI) Geoscience Terminology Working ye version, it includes al concepts in this conceptScheme, as well as concepts in frouv versions of the scheme. View List Table Properties Metadata	imental	CSV Export	with m with m About th owned by 1 hanged on 23 J	plain: netadata: plain: netadata: all: ne Reg lan 2019	tti rd/xmli jso tti rd/xml jso csv csv nquads jister 11:25:52.383
Videta geoscience earth/ncl / DrillingMethod	imental experimental	CSV Export	with m with m About th owned by 1 hanged on 23 J omitted on 23 J	plain: netadata: plain: netadata: all: ne Reg lan 2019 lan 2019	tti i rdformil jao tti i rdformi i jao csv csv nquads jister 11:25:52.383 11:20:10.641
Vidata geoscience earth/ncl / DrillingMethod	imental experimental experimental	CSV Export	with m with m About tif owned by 1 hanged on 23 J mitted on 23 J mitted by Abd	plain: netadata: plain: netadata: all: ne Reg lan 2019 lan 2019 lan 2019	tti rdfxxml jio tti rdfxxml jio cev cev rquads]ister 11:25:52.383 11:20:10.641 CHI
Videta geoscience earth/ncl / DrillingMethod	imental Ethenineque experimental experimental	CSV Export last cl sub	with m with m About th owned by 1 hanged on 23 J mitted by Abd cepted on 23 J	plain: netadata: plain: netadata: all: ne Reg lan 2019 lan 2019 lel FELLAC lan 2019	tti i rditomi jao tti i rditomi jao osv nguads jister 11:25:52:383 11:20:10.641 CHI 11:20:28:356
Wideta geoscience.earth/ncl / DrillingMethod gister: Borehole Drilling ethose bit (S Commission for Geoscience Information (CGI) Geoscience Terminology Working ye dension, it includes al concepts in this conceptScheme, as well as concepts in the concept is the concept in the concept in the concept is the concept in the	imental experimental experimental experimental experimental	CSV Export last cl sub sut	with m with m About th owned by 1 hanged on 23 J amitted by Abd cepted on 23 J	plain: setadata: plain: setadata: all: ne Reg lan 2019 lan 2019 lei FELIA(lan 2019	tti i rdformi jao tti i rdformi jao cav nquads jister 11:25:52:383 11:20:10.641 CHI 11:20:28:358
Widsta geoscience.earth/ncl / DrillingMethod gister: Borehole Drilling eme specifies concepts used to describe methods used to dril a borehole, as defined (SG Commission for Geoscience Information (CGI) Geoscience Terminology Working by extension, it includes al concepts in this conceptScheme, as well as concepts in rious versions of the scheme. View List Table Properties Metadata rer cussion drilling cable tool drilling cable tool drilling rotary air blast drilling rotary harmer drilling cable tool drilling	imental experimental experimental experimental experimental experimental	CSV Export last cl sub sub	with m with m About tif owned by 1 hanged on 23 J amitted on 23 J amitted by Abd cepted on 23 J	plain: plain: plain: all: all: an 2019 an 2019 alan 2019 alan 2019	tti i rdformi jao tti i rdformi jao csv nguads jister 11.25.52.383 11.20.10.641 CHI 11.20.26.356
///data.geoscience.earth/ncl / DrillingMethod gister: Borehole Drilling ethods ethods bits concepts used to describe methods used to dril a borehole, as defined bits concepts used to describe methods used to dril a borehole, as defined bits concepts in this conceptScheme, as well as concepts in view List View List view Properties Metadata per cussion drilling cable tool drilling rotary hammer drilling rotary hammer drilling reverse circulation drilling	imental experimental experimental experimental experimental experimental experimental	CSV Export last cl sub sub	with m with m About th owned by 1 hanged on 23 J smitted on 23 J omitted by Abd cepted on 23 J	plain: plain: plain: all: all: all: all: all: all: all: al	tti i rditomi jao tti i rditomi jao esv nguada jister 11:25:52.383 11:20:10.641 11:20:26.356
//data.geoscience.earth/ncl / DrillingMethod gister: Borehole Drilling ethocal ethocal <	imental experimental experimental experimental experimental experimental experimental	CSV Export last cl sub sub	with m with m About th owned by 1 hanged on 23 J pmitted by Abd cepted on 23 J	plain: vetadata: plain: alt: alt: alt: alt: alt 2019 bel FELLA(alan 2019	tti i rdihami jao tti i rdihami jao esv nguada jister 11:25:52.383 11:20:10.641 11:20:26.356
//data.geoscience.earth/ncl / DrillingMethod gister: Borehole Drilling ethods	inental experimental experimental experimental experimental experimental experimental experimental	CSV Export last cl sub sub	with m with m About th owned by 1 hanged on 23 J mitted on 23 J mitted by Abd cepted on 23 J	plain: vetadata: plain: vetadata: all: ian 2019 ian 2019 ian 2019 ian 2019	tti i rdf/xmil jao tti i rdf/xmil jao csv ngueds jister 11:25:52.383 11:20:10.641 11:20:26.356
//data.geoscience.earth/ncl / DrillingMethod gister: Borehole Drilling ethods	inental experimental experimental experimental experimental experimental experimental experimental experimental	CSV Export	with m with m About th owned by 1 hanged on 23 J mitted on 23 J mitted by Abd cepted on 23 J	plain: netadata: plain: all: ne Reg nan 2019 lan 2019 lan 2019	tti i rdf/xmil jse tti i rdf/xmil jse csv nguads jister 11:25:52.383 11:20:10.641 11:20:26.356

Extended Core Barrel (XCB)

vibrocor

air core

O probe

O sidewall core

THIS PROJECT HAS RECEIVED FUNDING FROM THE EUROPEAN UNION'S HORIZON 2000 FESCINCH AND INVOLVED IN PROGRAMME UNDER GRAMT AGREEMENT IN \$78564 Discement the content of this presentation reflects only the author's were and the Commission & not responsible for any use that may be made of the information it contains

experimental



Accessing additional information through the data graph

From one entry point in the data graph (example: the BoreholeIndex entry point), it is possible to access richer information using URIs



liscalmen the content of this presentation reflects only the author's view and the Commission is not responsible for any use that may be made of the information it could

EUROPEAN PLATE OBSERVING SYSTEM www.epos-ip.org | info@epos-ip.org | epos@ingv.it



Navigating through the data graph

- From the BoreholeIndex entry point, navigate through all borehole-related features (ex.: logs) and display them using the borehole visualisation tool libraries
- This linked data mechanism is applied to all "Geological Information and Modelling" datasets





Borehole visualisation services

2D and 3D multi-parameter visualisation tools on top of EPOS GIM data and based on the previously mentioned Vocabularies e.g. Chronostratigraphy, Grain Size, Rock Names and many more

EPOS Borehole View

Detail BSS000AAWB



Borehole locations displayed on a map and borehole logs using multi-parameter visualisation tools (GEUS)



Generic consumption of the interoperable borehole trajectory description by the visualisation tool. The colours reflect the borehole diameter (GFZ)



THIS PROJECT HAS RECEIVED FUNCTIVES FROM THE EUROPEAN UNION'S HORIZON 2020 RESEARCH AND INNOVATION PROGRAMME UNICE GRANT ACREEMENT IN 676564 Inclaiment the content of this presentation reflects only the author's were and the Commission is not responsible for any use that may be made of the information it contains

EUROPEAN PLATE OBSERVING SYSTEM www.epos-ip.org | info@epos-ip.org | epos@ingv.it



EPOS GIM European Model Index

- Basic information for describing & discovering subsurface models (3D, 4D, geophysical, etc.)
- Unlike the actual ISO19115 metadata catalogues, each entry is a feature based on a specific Feature model
- A Model Index entry is:
 - o a 'Model vCard'
 - A summary information + HTTP URIs towards richer information flows (including download links)







Merci pour votre attention Thank you for your attention Marc Urvois (<u>m.urvois@brgm.fr</u>) BRGM – French Geological Survey

https://www.epos-ip.org/tcs/geological-information-and-modeling/data-services/wp15-services-and-architecture

EUROPEAN PLATE OBSERVING SYSTEM www.epos-ip.org | info@epos-ip.org | epos@inqv.it

HSPROJECT HAS RECEIVED FUNDING FROM THE EUROPEAN UNION'S HORIZON 2000 RESEARCH AND INNOVATION PROGRAMME UNDER CRAMIT ACREEMENT IN 676564 Salmen the content of this presentation reflects only the author's view and the Continescie is not responsible for any use that may be made of the information it contains