

# PUTTING ALL THIS TOGETHER IN A PROJECT

Sylvain Grellet – BRGM ENSG – mastère GDM – 2023-01-20



Geosciences pour une Terre duit



# Interoperable / FAIR data in a project – How ?



What not to do

Consider the "Data" Portal / GUI (@fr 'IHM') of a project to be the only target





# Interoperable / FAIR data in a project – How ?



Géosciences pour une Terre durable

What to do

Have a holistic approach, taking all the facets of the iceberg into consideration





## The FAIR ecosystem

**Relies on 3 core elements** 

Semantic and technical interoperability standards / best practices Open-source implementations

International domains communities building on FAIR



#### The FAIR ecosystem

Relies on 3 core elements linked altogether by a virtuous cycle

Semantic and technical interoperability standards / best practices



Open-source implementations

International domains communities building on FAIR





# Interoperable / FAIR data in a project – How ?



The challenge is to have that ecosystem implemented in the project

- It shall be the DNA of every project to build on it
  - And not add / shoehorn interoperability / FAIR principles at the end to expose content. Interoperability principles
     <u>are not only for exposing data</u> to the outside. They are crucial <u>within the system itself.</u>





# Interoperable / FAIR data in a project – How ?



open Source

implementations

and make the project implementation part of the ecosystem

- If the project meets limitations / needs for enhancement
  - It feedbacks to the group that makes sense

- Examples: 0
  - OGC API for Observations (OGC SensorThings API) test : CSV was not part of the output formats. BRGM worked with Fraunhofer / DataCove to specify it. Now it's part of an extension and also one of the reference implementation.

Internationa

- BRGM in Observations & Measurements -> Change Requests -> Co-Lead of the OGC/ISO standard 0 revision -> many systems ask us for Guidelines on how to implement it
- Positive "side effect"
  - Contributions to those core elements are visible : this also lead to publications or visible contributions to the communities. It also help those doing core IT work in the tools to have their contribution visible.



## Integration in a project

Work sequence

- 0°/ Use Case
  - IT 101, Best Practices => no Use Case, no project ☺
- 1°/ clarify data considerations with domain experts
  - Semantics, provider, transformations etc...
  - Don't only follow the GUI mermaids
  - UX/UI limited to GUI is nice but only looking at this leads to forgetting data semantics. Good data semantics & semiology leads to a better UX/UI.
- 2°/ identify which API to ingest/expose what
  - Knowing what data the projects handles and what are the expected UseCase will help identify the API
- GUI
  - Could work alongside the others, provided a proper feedback loop exists with steps 1 and 2



#### Some examples

- Generic Observations & Measurements (OM) example : Environmental observation use case
- OM with domain model (river) : OMS level 1 example : surface water quantity (height gage)
- OM with domain model (river) + loooot of related observations : OMS level 2 example : surface water quality (samples)
- EPOS : Multi-standards integration in an Enterprise Architect project

The reference point : Observations & Measurements (O&M)



#### **RESTful API implementing O&M : SensorThings API**



Figure: 2: Sensing Entities

W3C Ontology« inspired from » O&M » : SSN / SOSA





W3C Ontology« inspired from » O&M » : SSN / SOSA



#### Environmental observation use case – with vocabularies



#### Environmental observation use case – with vocabularies



# OMS level 1 example : surface water quantity (height gage)



## **OMS level 1 example : surface water quantity \***

@fr 'Le Rhin', @en "The Rhine" river



## **OMS level 1 example : surface water quantity**





"@href": "https://iddata.eaufrance.fr/id/ObservationCollection/SurfacewaterQuantity/A021005050", "@title": "A021005050 surfacewater quantity observation collection."

#### le : surface water quantity



```
"type": "Feature",
                                                                                         Station
 "id": "A021005050",
                                                                                                           le : surface water quantity
"geometry": { ... }, // 2 items
 "properties": {
     "@featureType": "EnvironmentalMonitoringFacility",
   v "identifier": {
        "value": "https://iddata.eaufrance.fr/id/HydroStation/A021005050",
        "@codeSpace": "http://www.ietf.org/rfc/rfc2616"
    },
   "inspireId": { ... }, // 3 items
    "name": "Le Rhin en Suisse [Rheinhalle]",
   "mediaMonitored": [
            "@href": "http://inspire.ec.europa.eu/codelist/MediaValue/water"
    ],
    "observingCapability": [
           "observingTime": {
               "@dataType": "observingTime",
             > "TimePeriod": { ... } // 3 items
            },
          v "processType": {
               "@href": "https://inspire.ec.europa.eu/codelist/ProcessTypeValue/process"
           },
          "resultNature": {
               "@href": "https://inspire.ec.europa.eu/codelist/ResultNatureValue/primary"
            },
          v "procedure": {
               "@href": "http://id.eaufrance.fr/nsa/512#0",
               "@title": "MeasuredBySensor"
            },
           "featureOfInterest": { ... }, // 1 item
            "ultimateFeatureOfInterest": [
                                                                                                                          Reference to part of the river network
                   "@href": "https://iddata.eaufrance.fr/id/WatercourseLinkSequence/A0210000"
          "observedProperty": {
               "@href": "http://id.eaufrance.fr/nsa/509#H",
               "@title": "WaterLevel"
    ],
    "hasObservation": [
            "@href": "https://iddata.eaufrance.fr/id/ObservationCollection/SurfacewaterQuantity/A021005050",
                                                                                                                20
            "@title": "A021005050 surfacewater quantity observation collection."
```



"@href": "https://iddata.eaufrance.fr/id/ObservationCollection/SurfacewaterQuantity/A021005050", "@title": "A021005050 surfacewater quantity observation collection."

#### **OMS level 1 example : surface water quantity**



#### **OMS level 1 example : surface water quantity**

SensorThings API

**Crosswalk between APIs** 



```
"type": "Feature",
                                                                                        Station
 "id": "A021005050",
                                                                                                         le : surface water quantity
"geometry": { ... }, // 2 items
 "properties": {
     "@featureType": "EnvironmentalMonitoringFacility",
   v "identifier": {
        "value": "https://iddata.eaufrance.fr/id/HydroStation/A021005050",
        "@codeSpace": "http://www.ietf.org/rfc/rfc2616"
    },
   "inspireId": { ... }, // 3 items
     "name": "Le Rhin en Suisse [Rheinhalle]",
   "mediaMonitored": [
            "@href": "http://inspire.ec.europa.eu/codelist/MediaValue/water"
     ],
    "observingCapability": [
          "observingTime": {
               "@dataType": "observingTime",
             "TimePeriod": { ... } // 3 items
            },
          v "processType": {
               "@href": "https://inspire.ec.europa.eu/codelist/ProcessTypeValue/process"
           },
          "resultNature": {
               "@href": "https://inspire.ec.europa.eu/codelist/ResultNatureValue/primary"
            },
          v "procedure": {
               "@href": "http://id.eaufrance.fr/nsa/512#0",
               "@title": "MeasuredBySensor"
            },
           "featureOfInterest": { ... }, // 1 item
          "ultimateFeatureOfInterest": [
                   "@href": "https://iddata.eaufrance.fr/id/WatercourseLinkSequence/A0210000"
            ],
          "observedProperty":
               "@href": "http://id.eaufrance.fr/nsa/509#H",
               "@title": "WaterLevel"
     'hasObservation": [
                                                                                                                         Reference to SensorThings API DataStream
            "@href": "https://iddata.eaufrance.fr/id/ObservationCollection/SurfacewaterQuantity/A021005050",
                                                                                                               24
            "@title": "A021005050 surfacewater quantity observation collection."
```

```
"type": "Feature",
"id": "A021005050"
```

"geometry": { ... }, // 2 items "@featureType": "EnvironmentalMonitoringFacility", Station

"identifier": {

"properties": {

"value": "https://iddata.eaufrance.fr/id/HydroStation/A021005050", "@codeSpace": "http://www.ietf.org/rfc/rfc2616"

"inspireId": { ... }, // 3 items

"name": "Le Rhin en Suisse [Rheinhalle]",

"mediaMonitored": [

},

],

"@href": "http://inspire.ec.europa.eu/codelist/MediaValue/water"

```
"observingCapability": [
```

"observingTime": { "@dataType": "observingTime",

"TimePeriod": { ... } // 3 items

```
},
```

},

},

"processType": { "@href": "https://inspire.ec.europa.eu/codelist/ProcessTypeValue/process"

```
"resultNature": {
```

"@href": "https://inspire.ec.europa.eu/codelist/ResultNatureValue/primary"

```
"procedure": {
```

"@href": "http://id.eaufrance.fr/nsa/512#0", "@title": "MeasuredBySensor"

},

```
"featureOfInterest": { ... }, // 1 item
```

"ultimateFeatureOfInterest": [

"@href": "https://iddata.eaufrance.fr/id/WatercourseLinkSequence/A0210000"

```
"observedProperty":
    "@href": "http://id.eaufrance.fr/nsa/509#H",
    "@title": "WaterLevel"
```

#### hasObservation": [

"@href": "https://iddata.eaufrance.fr/id/ObservationCollection/SurfacewaterQuantity/A021005050", "@title": "A021005050 surfacewater quantity observation collection."

#### le : surface water quantity

```
SensorThings API DataStreams available
"value": [
       "@iot.selfLink": "https://sta4hydrometry.brgm-rec.fr/FROST-Server/v1.1/Datastreams(347)",
       "@iot.id": 347,
       "name": "Hydrometry depth at Le Rhin en Suisse [Rheinhalle] with method Hydrometry depth measurement by electronic probe",
       "description": "Hydrometry depth at Le Rhin en Suisse [Rheinhalle] with method Hydrometry depth measurement by electronic probe"
                                   nww.opengis.net/def/observationType/OGC-OM/2.0/OM_M
       "observationType
       "unitOfMeasurement": {
           "name": "millimeters",
           "symbol": "mm",
           "definition": "https://data.geoscience.fr/ncl/uom/491"
       },
       "observedArea": { ... }, // 2 items
       "phenomenonTime": "2020-09-16T03:45:00Z/2021-08-09T15:00:00Z",
       "properties": {
           "relatedTo.FeaturesOfInterest@iot.id": 347
       },
       "resultTime": "2020-09-16T03:45:00Z/2021-08-09T15:00:00Z",
       "ObservedProperty@iot.navigationLink": "https://sta4hydrometry.brgm-rec.fr/FROST-Server/v1.1/Datastreams(347)/ObservedProperty",
       "Sensor@iot.navigationLink": "https://sta4hydrometry.brgm-rec.fr/FROST-Server/v1.1/Datastreams(347)/Sensor",
       "Thing@iot.navigationLink": "https://sta4hydrometry.brgm-rec.fr/FROST-Server/v1.1/Datastreams(347)/Thing".
       "Observations@iot.navigationLink": "https://sta4hydrometry.brgm-rec.fr/FROST-Server/v1.1/Datastreams(347)/Observations"
                                                                                    Observations from DataStream 1
       "@iot.selfLink": "https://sta4hydrometry.brgm-rec.fr/FROST-Server/v1.1/Datastreams(348)",
       "@iot.id": 348
       "name": "Water flow at Le Rhin en Suisse [Rheinhalle] with method Water flow measurement by electronic probe"
       "description": "Water flow at Le Rhin en Suisse [Rheinhalle] with method Water flow measurement by electronic probe",
       "observationType": "http://www.opengis.net/def/observationType/OGC-OM/2.0/OM_Measurement",
       "unitOfMeasurement": {
           "name": "Liter Per second",
           "symbol": "1/s",
           "definition": "https://data.geoscience.fr/ncl/uom/541"
       },
       "observedArea": { ... }, // 2 items
       "phenomenonTime": "2020-09-16T03:15:00Z/2021-08-09T15:00:00Z",
       "properties": {
           "relatedTo.FeaturesOfInterest@iot.id": 348
       }.
       "resultTime": "2020-09-16T03:15:00Z/2021-08-09T15:00:00Z",
       "ObservedProperty@iot.navigationLink": "https://sta4hydrometry.brgm-rec.fr/FROST-Server/v1.1/Datastreams(348)/ObservedProperty",
       "Sensor@iot.navigationLink": "https://sta4hydrometry.brgm-rec.fr/FROST-Server/v1.1/Datastreams(348)/Sensor",
        'Observations@iot.navigationLink": "https://sta4hydrometry.brgm-rec.fr/FROST-Server/v1.1/Datastreams(348)/Observations"
                                                                                   Observations from DataStream 2
```





**Semantics** 





**Semantics** 







Linked Data

As much as possible : URIs on FeatureInstance (and ?ObservationCollection / Observation?) AND controlled vocabularies (observation method, observed properties, ...)





**OGC APIs** 

• Simplified (implemented) model => mapped to OGC API + ST API (other not done because of time)





**OGC APIs** 



Simplified (implemented) model => mapped to O&M and existing standards then ST API



**OGC APIs** 

Chemical concentration - Simplified (implemented) model => mapped to ST API





## EPOS : Multi-standards integration in an Enterprise Architect (EA) project

1°/ Conceptual Model

Class : Segment	
▲ Properties	Name:
General	Segment
▲ Responsibilities	
Requirements	
Constraints	
Scenarios	$\mathbf{D} \ 1 \ \mathbf{U} \ \mathbf{m} \ \mathbf{v} \ v$
Files	Coherent set of diameter and drilling Method. Each time one of those
▲ Related	two elements changes it's a new segment.
Links	







#### **EPOS : Multi-standards integration in an Enterprise** Browser Architect (EA) project 🎦 🗀 명 🔶 🕂 🌜 🔍 🚍 -

2°/ Logical Model built on standards

- Note : This example uses the previous EA-SVN connexion
  - Now we use EA "Reusable Assets"







# EPOS : Multi-standards integration in an Enterprise Architect (EA) project

2°/ Logical Model built on standards



In the logical model, the Borehole, Segment, Sample cascade from step 1°/ is modelled building on classes from Observations & Measurements





# **EPOS : Multi-standards integration in an Enterprise Architect (EA) project**

**2°/ Logical Model built on standards** 



In the logical model, Borehole is a subtype of SF\_SpatialSamplingFeature from Observations & Measurements ...

... and Borehole constructions elements from step 1°/ are reusing classes defined in GroundWaterML2.0



@Uppsala University



#### Thank you

# Are you too busy to improve?



#### Håkan Forss @hakanforss http://hakanforss.wordpress.com

This illustration is inspired by and in part derived from the work by Scott Simmerman, "The Square Wheels Guy" http://www.performancemanagementcompany.com/



#### Thanks to

Hélène Bressan

#### h.bressan@brgm.fr





Hylke van den Schaaf

hylke.vanderschaaf@iosb.fraunhofer.de

Kathi Schleidt <u>Kathi@DataCove.eu</u>

