

GETTING TO KNOW

- OBSERVATIONS, MEASUREMENTS AND SAMPLES
- OGC SENSORTHINGS API PART 1



Observations, Measurements & Samples

ISO / OGC standards



color:

YELLOW

expression:

HAPPY



Observations, Measurements & Samples

ISO / OGC standards



color:

YELLOW

expression:

HAPPY

```
"smiley": {  
    "color": "Yellow",  
    "expression": "Happy"  
}
```



Observations, Measurements & Samples

ISO / OGC standards





→ **YELLOW**

→ **HAPPY**



Observations, Measurements & Samples


ISO / OGC standards





Observations, Measurements & Samples


ISO / OGC standards





Observations, Measurements & Samples


ISO / OGC standards





Observations, Measurements & Samples


ISO / OGC standards





Observations, Measurements & Samples

ISO / OGC standards



Kathi

observer:

featureOfInterest:

Observation

observed
Property:

Color

procedure:

Swatch
Comparison


result:

YELLOW


HAPPY

Observations, Measurements & Samples

ISO / OGC standards




Observations, Measurements & Samples



Observations, Measurements & Samples




2 core parts – Observation




Observations, Measurements & Samples



2 core parts – Sample



The long and winding road from O&M to OMS



OGC SensorThings API Part 1




Excerpt from 3 presentations

- Available here (including videos)

https://github.com/INSIDE-information-systems/SensorThingsAPI/tree/master/presentations/20220929_INSIDE_SIST_SensorThingsAPI_Webinaire/3-ST_API_presentation

OGC SensorThings API Part 1 - context

OGC & IoT?

- IoT deals with Sensors and Actuators
 - Sensors and Actuators have Location
 - OGC Sensor Web Enablement (SWE)
 - Enable developers to make all types of sensors, transducers and sensor data repositories discoverable, accessible and useable via the Web
 - Since 1990 by NASA → 2001 in OGC
 - SensorML
 - Sensor Observation Service (SOS)
 - Observations & Measurements (O&M) The basis
 - Sensor Data & Metadata
 - Core of INSPIRE
- 
- ©OGC: <http://www.opengeospatial.org/ogc/markets-technologies/swe>



OGC SensorThings API Part 1 - context

From SWE to SensorThings

- “Old” SWE Standards
 - XML Encoded
 - SOAP bindings
 - Requires tools for use
 - Complex in use
 - No easy browsing
 - No pagination
 - No pub/sub
 - No updating
 - No delete
- Time for an update → SensorThings API



OGC SensorThings API Part 1 - context

OGC SensorThings API

The Update

- A standard for exchanging sensor data and metadata
 - Historic data & current data
 - JSON Encoded
 - RESTful
 - Adapting OASIS OData URL patterns and query options
 - Supporting ISO MQTT messaging

Based on Observations & Measurements


- Easy to use & understandable
 - Discoverable with only a web browser

OGC SensorThings API Part 1 - context

How does it work?

- Part 1: Data model
 - Which entities exist
 - How are they linked

- Part 2: URL patterns for queries
 - How do I get & search data
 - How do I add data
 - How do I modify data
 - How do I delete data



REST
&
MQTT

OGC SensorThings API Part 1 - context

Implementations

OGC SensorThings API Part 1: Sensing 1.0		
Organization	Implementation	Owner / Registered
52 North GmbH	52N Helgoland API 3.3.3 ↗ OGC SensorThings API Part 1: Sensing 1.0 (Certified: 2016-08-10)	Jirka, Simon Registered: 2016-08-10
Fraunhofer-Gesellschaft	FROST-Server 1.14.x ↗ OGC SensorThings API Part 1: Sensing 1.0 (Certified: 2021-11-01)	Hylke van der Schaaf Registered: 2016-08-10
Geodan Holding BV	GOST 0.3 ↗ GOST 0.6 ↗ GOST 0.6.1 ↗	Bert Temme Registered: 2016-11-28 Bert Temme Registered: 2018-01-10 Bert Temme Registered: 2020-01-28
i-bitz company limited	Vallaris Maps 2020 ↗	Pongsakorn Udombua Registered: 2021-09-06
Institute of Communication and Computer Systems (ICCS)	SensorThings 1.0 ↗ OGC SensorThings API Part 1: Sensing 1.0 (Certified: 2019-06-06)	Fay Misichroni Registered: 2019-05-30
NCU	SensorThings-MongoDB 1 ↗	Ting, Yu Yeh Registered: 2022-06-27
PilotGaea Technologies Co., Ltd.	PilotGaea GIS 11.0 ↗ PilotGaea GIS 12.0 ↗ PilotGaea GIS 13.0 ↗ OGC SensorThings API Part 1: Sensing 1.0 (Certified: 2022-02-11)	Li, Yashu Registered: 2020-01-07 Li, Yashu Registered: 2021-01-17 Li, Yashu Registered: 2022-02-21
SensorUp Inc.	SensorUp SensorThings API v1.0 ↗ SensorUp SensorThings API v1.0 ↗	Steve Liang Registered: 2016-02-29 Steve Liang Registered: 2016-02-29


<https://www.ogc.org/resource/products/by-spec/?specid=772>

OGC SensorThings API Part 1 – data model

SensorThing API Data model


The Core

Based on
Observations & Measurements





OGC SensorThings API Part 1 – data model

INSPIRE Mapping





OGC SensorThings API Part 1 – data model

BeAWARE Flood Scenario Data Model



OGC SensorThings API Part 1 – data model


HERACLES Building Data Model



OGC SensorThings API Part 1 – data model

BRGM

Water Quality Data Model





OGC SensorThings API Part 1 – REST API

Getting to your data

Quick Overview

- Based on OASIS OData
- Base URL: <http://server.de/FROST-Server/v1.1>
- Read: GET
 - v1.1 → Get index
 - v1.1/Collection → Get all in a set
 - v1.1/Collection(id) → Get one from a set
- Create: POST
 - v1.1/Collection → Create a new entity
- Update: PATCH
 - v1.1/Collection(id) → Update an entity
- Update: PUT
 - v1.1/Collection(id) → Replace an entity
- Delete: DELETE
 - v1.1/Collection(id) → Remove an entity



OGC SensorThings API Part 1 – REST API

Query URL patterns: Index

Get Service Index

■ GET `http://ogctest.docker01.ilt-dmz.iosb.fraunhofer.de/v1.1`

■ Response:

```
{  
    "value" : [  
        {  
            "name" : "Datastreams",  
            "url" : "http://server.de/SensorThingsService/v1.0/Datastreams"  
        },  
        {  
            "name" : "FeaturesOfInterest",  
            "url" : "http://server.de/SensorThingsService/v1.0/FeaturesOfInterest"  
        },  
        {  
            ...  
        },  
        {  
            "name" : "Things",  
            "url" : "http://server.de/SensorThingsService/v1.0/Things"  
        }  
    ],  
    "serverSettings": {}  
}
```

OGC SensorThings API Part 1 – REST API

Query URL patterns: Get Collection

Get All Things

■ GET <http://ogctest.docker01.ilt-dmz.iosb.fraunhofer.de/v1.1/Things>

■ Response:

```
{  
    "value" : [  
        {  
            "name" : "My camping lantern",  
            "description" : "camping lantern",  
            "properties" : {  
                "property1" : "it's waterproof",  
                "property2" : "it glows in the dark"  
            },  
            "Locations@iot.navigationLink" : "Things(1)/Locations",  
            "HistoricalLocations@iot.navigationLink":  
                "Things(1)/HistoricalLocations",  
            "Datastreams@iot.navigationLink" : "Things(1)/Datastreams",  
            "@iot.id" : 1,  
            "@iot.selfLink" : "/SensorThingsService/v1.0/Things(1)"  
        },  
        {  
            "a second thing..."  
        }, { ... }, { ... }, { ... }  
    ]  
}
```

OGC SensorThings API Part 1 – REST API

Query URL patterns: Get one Entity

Get Specific Thing

■ GET [http://ogctest.docker01.ilt-dmz.iosb.fraunhofer.de/v1.1/Things\(1\)](http://ogctest.docker01.ilt-dmz.iosb.fraunhofer.de/v1.1/Things(1))

■ Response:

```
{  
    "name" : "My camping lantern",  
    "description" : "camping lantern",  
    "properties" : {  
        "property1" : "it's waterproof",  
        "property2" : "it glows in the dark"  
    },  
    "Locations@iot.navigationLink" : "Things(1)/Locations",  
    "HistoricalLocations@iot.navigationLink" : "Things(1)/HistoricalLocations",  
    "Datastreams@iot.navigationLink" : "Things(1)/Datastreams",  
    "@iot.id" : 1,  
    "@iot.selfLink" : "/SensorThingsService/v1.0/Things(1)"  
}
```

OGC SensorThings API Part 1 – REST API

Query URL patterns: Get one Entity

Get Specific Thing

■ GET [http://ogctest.docker01.ilt-dmz.iosb.fraunhofer.de/v1.1/Things\(1\)](http://ogctest.docker01.ilt-dmz.iosb.fraunhofer.de/v1.1/Things(1))

■ Response:

```
{  
    "name" : "My camping lantern",  
    "description" : "camping lantern",  
    "properties" : {  
        "property1" : "it's waterproof",  
        "property2" : "it glows in the dark"  
    },  
    "Locations@iot.navigationLink" : "Things(1)/Locations",  
    "HistoricalLocations@iot.navigationLink" : "Things(1)/HistoricalLocations",  
    "Datastreams@iot.navigationLink" : "Things(1)/Datastreams",  
    "@iot.id" : 1,  
    "@iot.selfLink" : "/SensorThingsService/v1.0/Things(1)"  
}
```



OGC SensorThings API Part 1 – REST API

Lot's of other possibilities

- Get Related Entities
- Pagination
- Define the content you need in the response
 - ‘Select’: to reduce it to the content you need
 - ‘Expand’: to add information from related entities
- Sorting
- Filtering
- And (next slide)

OGC SensorThings API Part 1 – REST API

Query URL patterns: Functions 1

Lots of Choice

■ Comparison:

- gt: > ge: >=
- Eq: = le: <=
- lt: < ne: !=

■ Logical:

- and / or / not

■ Mathematical:

- add / sub / mul / div / mod
- round(n1)
- floor(n1) / ceiling(n1)

■ String Functions:

- substringof(p0, p1)
- endswith(p0, p1)
- startswith(p0, p1)
- substring(p0, p1)
- indexof(p0, p1)
- length(p0)
- tolower(p0)
- toupper(p0)
- trim(p0)
- concat(p0, p1)



OGC SensorThings API Part 1 – REST API

Query URL patterns: Functions 2

Even more choice!

■ Geospatial:

- geo.intersects(g1, g2)
- geo.length(l1)
- geo.distance(g1, g2)
- st_equals(g1, g2)
- st_disjoint(g1, g2)
- st_touches(g1, g2)
- st_within(g1, g2)
- st_overlaps(g1, g2)
- st_crosses(g1, g2)
- st_intersects(g1, g2)
- st_contains(g1, g2)
- st_relate(g1, g2)

■ Date and Time:

- now()
- mindatetime()
- maxdatetime()
- date(t1)
- time(t1)
- year(t1)
- month(t1)
- day(t1)
- hour(t1)
- minute(t1)
- second(t1)
- fractionalseconds(t1)
- totaloffsetminutes(t1)



OGC SensorThings API Part 1 – REST API

Query URL patterns: Filtering examples

Find me a Thing


- All observations with an even result
 - Observations?\$filter=result mod 2 eq 0
- Observations of the last hour
 - Observations?\$filter=phenomenonTime gt now() sub duration'PT1H'
 - https://en.wikipedia.org/wiki/ISO_8601#Durations
- Datastreams that measure temperature (ObservedProperty id 1)
 - Datastreams?\$filter=ObservedProperty/@iot.id eq 1
- Filtering on JSON properties
 - Things?\$filter=properties/style eq 'Cozy'
 - Observations?\$filter=result gt Datastream/properties/max

OGC SensorThings API Part 1 – REST API

Query URL patterns: \$expand example
Get everything for my map in 1 request

```
.../v1.1/Things?  
$select=id,name,description,properties  
&$top=1000  
&$filter=properties/type eq 'station'  
&$expand=  
    Locations,  
    Datastreams (  
        $select=id,name,unitOfMeasurement  
        ;$expand=  
            ObservedProperty($select=name),  
            Observations (  
                $select=result,phenomenonTime  
                ;$orderby=phenomenonTime desc  
                ;$top=1)  
    )
```

Overview Map (Italy)





OGC SensorThings API Part 1 – REST API

Creating new Entities

Create a new Thing

■ POST ... /v1.1/Things

Content-Type: application/json; charset=UTF-8

```
{  
  "name" : "Office",  
  "description" : "My Work Room",  
  "properties" : {  
    "style" : "Business",  
    "balcony" : false  
  },  
  "Locations" : [  
    {  
      "@iot.id" : 1  
    }  
  ]  
}
```

■ Response:

Location: [http://localhost:8080/FROST-Server/v1.1/Things\(2\)](http://localhost:8080/FROST-Server/v1.1/Things(2))

OGC SensorThings API Part 1 – REST API

Creating new Observations

Create a new Observation

■ POST ... /v1.1/Observations

```
{  
  "result" : 123,  
  "Datastream" : {  
    "@iot.id" : 1  
  }  
}
```

- + changing, deleting entities
- + extensions

■ POST ... /v1.1/Datastreams(1)/Observations

```
{  
  "result" : 123  
}
```

■ phenomenonTime and FeatureOfInterest are generated automatically if not provided.

Creating new Observations – HTTP vs MQTT

Options, options ...

	+	-
MQTT	<ul style="list-style-type: none">Efficient for subsequent Observations	<ul style="list-style-type: none">Connection managementCan only create ObservationsPersistent connection makes load balancing tricky
HTTP	<ul style="list-style-type: none">Simple requestsCan create all entitiesWorks through firewalls & proxiesSimple load balancing	<ul style="list-style-type: none">New connection per request

OGC SensorThings API Part 1 – marine example

French Marine Agency (IFREMER)

La modélisation des objets métiers

*Les profils (ex : flotteurs Argo) -> un cas particulier,
quand le X n'est pas le temps*



Le contexte métier


- Profiles: CTD, profiling floats (ARGO)
- PointSeries: moorings, including moorings with different vertical levels
- Trajectories: thermo-salinometers, gliders




OGC SensorThings API Part 1 – marine example




French Marine Agency (IFREMER)



```
"properties": {  
    "type": "trajectory"  
},
```




```
properties: {  
    type: "Profile"  
},
```



<https://sextant.ifremer.fr/examind/WS/sts/coriolis/v1.1>

OGC SensorThings API Part 1 – Agronomy example

French Agronomic Institute (INRAE)




INRAE

Publication de données sols via SensorThings API

29/09/2022 – Webinaire SIST – C. Lattefais, R. Yahiaoui, C. Le Bas, A. Schellenberger

Organic Carbon in a soil sample








OGC SensorThings API Part 1 – Agronomy example

French Agronomic Institute (INRAE)


- Historical/Legacy national databank mapped to SensorThings API for data sharing





OGC SensorThings API Part 1 – GroundWater example


French Geologic Survey (BRGM)




OGC SensorThings API Part 1 – GroundWater example



French Geologic Survey (BRGM)




OGC SensorThings API Part 1 – GroundWater example




French Geologic Survey (BRGM)

- From field sensors to SensorThings API server




OGC SensorThings API Part 1 – GroundWater example



French Geologic Survey (BRGM)


- From field sensors to SensorThings API server using the full RESTful and MQTT capacities of the standard




OGC SensorThings API Part 1 – client side





One ground water endpoint (BRGM) various clients



Geomatys Examind Community



Fraunhofer WebGenesis



QGIS new SensorThings API plugin (soon ported to Core)



Extra material

- Observations, Measurement And Samples
 - <https://github.com/opengeospatial/om-swg>
 - New version available soon here : <https://www.ogc.org/standards/om>
- SensorThings API Part 1
 - Standard : <https://www.ogc.org/standards/sensorthings>
 - <https://github.com/opengeospatial/sensorthings>
 - Many screenshots come from this workshop (EN/French) :
 - https://github.com/INSIDE-information-systems/SensorThingsAPI/tree/master/presentations/20220929_INSIDE_SIST_SensorThingsAPI_Webinaire



Thank you

Are you too busy to improve?

s.grellet@brgm.fr



Håkan Forss @hakanforss <http://hakanforss.wordpress.com>

This illustration is inspired by and in part derived from the work by Scott Simmerman, "The Square Wheels Guy" <http://www.performancemanagementcompany.com/>



Thanks to

Kathi Schleidt

Kathi@DataCove.eu



Hylke van den Schaaf

hylke.vanderschaaf@iosb.fraunhofer.de